



ANALIZA BIAŁEK



100006851

Laboratory of Analysis

Client: Hannovermedline
Order number: 100006851
Name: T.ACETATO
Number of samples: 1 vial

Batch number: -----
Recive date: 2025-01-22
Start date: 2025-01-30
End date: 2025-01-31

Sample identification

Substance	Method of taking a sample	Form
Trenbolone Acetate	Sample provided by customer	Yellow liquid in a glass vial

Results

Substance	Sample name	Content	Purity
Trenbolone Acetate	T.ACETATO	97,2mg/ml	-----

Research comment

The test sample was applied in the amount of 3µl to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H2O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its concentration, when compared to the reference chromatogram, is 85,25mg/ml. Height the measurement error is + - 1 mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password


P947F9CS

Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

SHieaddzqibuaa ri tLearbs oarnadto LrSiubdortatnigh npirczieapnr:ow
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0mi	60%	40%
n	60%	40%
27min	5%	95%
30min	5%	95%

Password

P947F9CS